

University Course Timetabling and International Timetabling Competition 2019

Tomáš Müller¹, Hana Rudová², Zuzana Müllerová³

¹ Purdue University, USA

² Masaryk University, Czech Republic

³ UniTime, s.r.o., Czech Republic



This presentation: <http://www.itc2019.org/papers/patat18-slides.pdf>

ITC 2019: <http://www.itc2019.org>



What should you expect from this plenary talk?

Characteristics of existing competitions

- course timetabling
- educational timetabling
- others

Timetabling in practice

- UniTime system & ITC 2019
- timetabling problems at
 - ITC 2019
 - Masaryk University
 - Purdue University

International Timetabling Competition ITC 2019

- overview and organization




ITC 2002: first course timetabling competition

- **Events**
 - to be scheduled in 5 days each having 9 hours
- **Rooms**
 - features to be required
 - size must not be exceeded
- **Students** in events cannot have any overlap
 - enrollment-based timetabling
- Three types of **soft constraints** on compactness for students



ITC 2002: organization

- Organized by:
 - Metaheuristics Network, PATAT
 - Ben Paechter et al.
- Data instances generated by computer
- Feasible solutions required
- Optimal solutions with no soft constraint violation exist
- Early, late and hidden data instances
- Finalists demonstrated their programs to organizers
- Single processor machine
- Short limited time (300-500 s)
- 13 teams





ITC 2007: competition with three tracks

international
TIMETABLING COMPETITION

Tracks:

- **examination** timetabling
- **post enrolment** based course timetabling
- **curriculum** based course timetabling

Organization:

- early, late, hidden data sets
- **executables** tested by organizers
- single processor
- short limited time: 300-500 s
- **infeasible solutions** accepted: distance to feasibility
- 5 finalists per track



ITC 2007: examination timetabling

- 1996: Carter et al. **examination data set**
 - 13 real-world problems
 - various modifications
 - studied by many researchers
 - simplified problem
- *Qu, Burke, McCollum, Merlot, Lee (2009), A **survey** of search methodologies and automated system development for examination timetabling. Journal of Scheduling*
- **ITC 2007**
 - real-world aspect emphasized
data, constraints, evaluation



- Extension of ITC 2002 problem
- Same: hard and soft constraints kept
- Two new hard constraints
 - hard constraints not easy to satisfy
 - not assigned events
- Still rather distant to real-world
 - generated instances
 - optimal solution with no soft constraint violation exist



ITC 2007: curriculum-based timetabling

- **Curriculum:** group of courses with same students
- **Real-world instances:** University of Udine
 - slightly simplified with respect to the real problem
- **Very rich research area**
 - high level of support given by organizers
Bonutti, De Cesco, Di Gaspero, Schaerf (2012), Benchmarking curriculum-based course timetabling: formulations, data formats, instances, validation, visualization, and results. Annals of Operations Research
 - *Bettinelli, Cacchiani, Roberti, Toth (2015), An overview of curriculum-based course timetabling. TOP*
- **Data sets with updated results still maintained**
 - <http://tabu.diegm.uniud.it/ctt/>
 - extended problem formulation, new data sets
 - latest results in 2017
 - 17 out of 21 competition problems now solved to optimality!





ITC 2011: high school timetabling

- **Class** as a group of students taking same courses
- **Real-world instances**
 - the largest with 2,675 students and 80 rooms
 - about 3/4 instances solved to optimality!
- **XHSTT: XML standard** for data instances
 - *Post, Kigston et al. (2014), XHSTT: an XML archive for high school timetabling problems in different countries. Annals of Operations research*
- **Data sets with updated results still maintained**
 - <https://www.utwente.nl/en/eemcs/dmmp/hstt/>
- Resulting in **high interest in high school timebling**
- 17 participants
- **Three rounds**
 - ① order by the best submitted solutions for published instances
 - ② order based on hidden instances in given time (1,000 seconds)
 - ③ order by the best submitted solutions for all instances including hidden



Nurse rostering competitions

Rich research area

- 2005-6: benchmark problems <http://www.cs.nott.ac.uk/~tec/NRP/>
- *Burke, De Causmaecker, Berghe et al. (2004), Journal of Scheduling 7(6):441-499*

Supported by PATAT

- traditional
 - early, late, hidden data
 - limited time, executables tested by organizers

The first INRC in 2010

- problems of different size allowed
 - sprint track for interactive use
 - middle distance track allowed a few minutes
 - long distance track for overnight solving

The second INRC-II in 2014-2016

- multi-stage problem formulation for consecutive weeks

Competitions from related areas

Cross-domain Heuristic Search Challenge 2011 supported by PATAT

- design search algorithm working across different problem domains

ICAPS conference competitions

- international planning competitions from 1998

MiniZinc Challenge related to CP conference

- competitions of constraint programming solvers on a variety of benchmarks
- from 2008

GECCO conference competitions

- several competitions each year

ROADEF Challenge

- French Operational Research and Decision Support Society
- from 1999
- 2018: cutting optimization problem
- 2016: inventory routing problem
- 2014: arrival and departure times for trains



Importance of competitions

Benchmark data sets

- move toward real-world problems and data sets

Web site maintaining results

- curriculum-based timetabling

<http://tabu.diegm.uniud.it/ctt/>

- high-school timetabling

<https://www.utwente.nl/en/eemcs/dmmp/hstt/>

- ITC 2019

<https://www.itc2019.org>

⇒ Easy comparison of approaches

- many works, many citations



Complex educational scheduling system

- open-source, commercial support
 - course and examination timetabling, student scheduling, event management
 - research from 2001
 - in practice from 2005
- in production at 63 institutions based on voluntary registrations
290 registrations from 84 countries

ITC 2019 data from UniTime

- Purdue University , Masaryk University , AGH University of Science and Technology , Lahore University of Management Sciences , İstanbul Kültür University , Bethlehem University , Universidad Yachay Tech , Turkish-German University , University of Nairobi , Maryville University , University of Adelaide 



Outline: timetabling problems

- Faculty of Informatics, Masaryk University
 - base problem using student pre-enrollments
- ITC 2019
 - generalized problem
- Faculty of Education, Masaryk University
 - lots of dual major programs with complex curricula
- Faculty of Sport Studies, Masaryk University
 - travel distances, lifelong studies with work
- Purdue University, USA
 - last-like course remnants, complex course structure, rich time patterns
- Rudová, Müller, Murray (2011), *Complex university course timetabling*, *Journal of Scheduling*, 14(2), 187–207
- Müller, Rudová (2016), *Real-life Curriculum-based Timetabling with Elective Courses and Course Sections*. *Annals of Operations Research*, 239(1):153–170



Times

- week: 5 days, 12 timeslots a day
- timetable for one week: full semester, even/odd weeks

Rooms

- up to 20+23 rooms with capacities from 15 to 248 seats
- standard rooms, computer labs

Students

- up to 1,890 students with 12,668 course demands

Courses

- up to 220 courses split to 596 classes
- **class** = event such as seminar or lecture
 - once a week, avg. duration 2 timeslot
- course = (1 lecture) or (N seminars) or (1 lecture + N seminars)



Hard distribution constraints among set of classes

- NotOverlap, SameRoom
- same teacher (SameAttendees in ITC 2019)

For each class assign

- starting time
- room
- set of students

Solution generation in UniTime

- ① initial student sectioning
 - constructive approach clustering similar students together
- ② assign time and room for all classes
 - Iterative Forward Search
- ③ final student sectioning
 - Local Search



Time penalization

1 x 100

from: to:	Mon	Tue	Wed	Thu	Fri
8:00a 9:50a	Discouraged	Discouraged	Discouraged	Discouraged	Discouraged
10:00a 11:50a	Neutral	Neutral	Neutral	Neutral	Neutral
12:00p 1:50p	Prohibited	Neutral	Neutral	Neutral	Neutral
2:00p 3:50p	Prohibited	Neutral	Neutral	Neutral	Strongly Discouraged
4:00p 5:50p	Neutral	Neutral	Neutral	Neutral	Strongly Discouraged
6:00p 7:50p	Strongly Discouraged	Strongly Discouraged	Strongly Discouraged	Strongly Discouraged	Strongly Discouraged



Room penalization

- same scale
- buildings, rooms, features
- ITC 2019: penalty value for each domain value



Student conflicts

- minimize the number of student conflicts

$$\sum_{\forall \text{class1, class2: } \text{overlap}(\text{class1, class2})} \text{SameStudents}(\text{class1}, \text{class2})$$

- $\text{overlap}(\text{class1}, \text{class2})$
 - overlapping in time
 - + rooms too far given the gap between classes
- students for each class generated from
 - student course demands (pre-enrollments)
 - **curricula**: compulsory, elective and optional courses

Distribution penalization

- soft distribution constraints
- for a pair of classes: penalization for every pair in a violation
 - maximal penalty for N classes: $\text{penalty} \times N \times (N - 1)/2$



Fall 2018: first published timetable on August 20

Rooms	20+23*
Courses	220
Classes	596
Students	1,890
Student course demands	12,668 [◇]
Student conflicts	8.2 %
Time penalization	72.3 %
Room penalization	84.24 %
Distribution penalization	84.16 %

*3 large, 11 standard, 6 computer, 23 special purpose

[◇]including 14 students with 15-19 course demands, 0 students \geq 20 course demands



Overview of ITC 2019 problem: generalized problem

- **Schedule times and rooms** for classes
 - eligible domain values and their penalties
- **Time overlaps**
 - consider: start and end timeslot & days of week & weeks in semester
- **Rooms**
 - conflicts in a room prohibited
 - unavailable times
- **Distribution constraints** among classes
 - hard & soft with penalties for violations
- **Student course demands**
 - course structure defines how to section students into classes of a course
- **Classes** with hard capacity limits
- Soft **student conflicts** for overlapping classes
- **Travel times**
 - conflicts for students and SameAttendees distribution constraint



Problem in Fall 2011: first used in practice

- 7,500 students
- 260 curricula
mostly two different majors combined

Complex curricula

- compulsory, elective and optional courses
- alternatives in the course structures, e.g. multiple seminars
- courses shared in multiple curricula

Curricula for each year

- **target share** for each pair of courses
= number of students attending both
- ALG, CAL: 1.0 ENGL, SPAN: 0.0
ENGL, CHM: $0.6 \times 0.2 \dots 12\%$

Required	ALG 101		100.0%
Required	CALC 101		100.0%
Elective	ENGL 101		60.0%
Elective	SPAN 101		40.0%
	BIOL 101		10.0%
	CHM 101		20.0%



Student generation

- transform curricula into course demands respecting target shares
- assign students to courses with the desired number of students
- minimize the difference between
target share and actual share
for all pairs of courses

Approach

- ① construction phase: adding students to courses
- ② Great Deluge phase: swapping students

Müller, Rudová (2016), Real-life Curriculum-based Timetabling with Elective Courses and Course Sections. Annals of Operations Research, 239(1):153-170

ITC 2019 with enrollment-based timetabling includes curricula

- curricula already transformed into course demands



Problem in Fall 2012: first used in practice


- 1,450 students
- 25 curricula

Travel distances

- travel time between each pair of rooms
- ITC 2019: in timeslots
- significant impact on student conflicts

Lifelong study

- teaching on Fridays only
 - courses not taught each week
- ⇒ different timetable each week
- need more complex implementation of distribution constraints
 - DifferentDays, SameWeeks, ...





- In practice from 2005
- 40,000 students, 9,000 classes, 700 rooms
- ITC 2019 test problem
 - from Fall 2007
 - original published at Journal of Scheduling
 - 6 schools, large lectures, computer labs
 - 29,514 students, 2,418 classes, 207 rooms
- Decentralized timetabling
- Complex course structure
- Multiple meetings for class a week



Rudová, Müller, Murray (2011), *Complex university course timetabling*, *Journal of Scheduling*, 14(2), 187–207



Course vs. class vs. meeting

- Class meets once a week
 - Monday 10:00 – 12:00
- Class meets several times a week at same time & same room
 - Tuesday, Thursday 9:00 – 10:30
 - Monday, Wednesday, Friday 9:00 – 10:00
- Possible domain values
 - MW, WF, TTh

Time Preferences

	from: to:	7:30 8:30	8:30 9:30	9:30 10:30	10:30 11:30	11:30 12:30	12:30 1:30	1:30 2:30	2:30 3:30	3:30 4:30	4:30 5:30
MW		Discouraged	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral	Discouraged
TTh		Discouraged	Neutral	Preferred	Strongly Preferred	Preferred	Neutral	Neutral	Neutral	Neutral	Discouraged
WF		Discouraged	Neutral	Neutral	Neutral	Neutral	Prohibited	Prohibited	Prohibited	Discouraged	Discouraged

- Required
- Strongly Preferred
- Preferred
- Neutral
- Discouraged
- Strongly Discouraged
- Prohibited



Course structure

	Demand	Mins Per Week	Limit	Manager	Date Pattern	Time Pattern	Preferences			Instructor
							Time	Room	Distribution	
M E 263		98	96							
M E 263H										
Lecture		150	96	LLR	Full Term	3 x 50 2 x 75		WTHR Computer		
Recitation		100	96	M E	Full Term	2 x 50		ME 120 ME 236 Classroom		
Laboratory		50	84-120	LAB	Even Wks	1 x 50		Windows XP		
Lec 1		150	96	LLR	Full Term	3 x 50 2 x 75		WTHR Computer		J. Smith C. Bing
Rec 1		100	48	M E	Full Term	2 x 50		ME 120 ME 236 Classroom	Back-To-Back M E 263 Rec 1 M E 263 Rec 2	J. Novak
Lab 1		50	14-20	LAB	Even Wks	1 x 50		Windows XP		
Lab 2		50	14-20	LAB	Even Wks	1 x 50		Windows XP		
Lab 3		50	14-20	LAB	Even Wks	1 x 50		Windows XP		
Rec 2		100	48	M E	Full Term	2 x 50		ME 120 ME 236 Classroom	Back-To-Back M E 263 Rec 1 M E 263 Rec 2	J. Novak
Lab 4		50	14-20	LAB	Odd Wks	1 x 50		Windows XP		
Lab 5		50	14-20	LAB	Odd Wks	1 x 50		Windows XP		
Lab 6		50	14-20	LAB	Odd Wks	1 x 50		Mac Os X		



Course structure at ITC 2019

● Configuration

- different teaching styles for course
- example: for base and practice form of study

● Subpart

- parent-child relationship and related constraints
- example: lecture, seminar, laboratory

● Class

- timetabling at this level
- example: ME 263 Lec1

Course	Introduction to Mech. Eng. ME 263							
Configuration	Base study				Practice study			
Subpart	Lecture				Lecture			
<i>Parent</i>	Recitation				Recitation			
<i>Child</i>					Laboratory			
Class	Lec1				Lec3			
<i>Parent</i>		Rec1	Rec2			Rec5	Rec6	
<i>Child</i>						Lab1	Lab2	
	Lec2				Lec4			
		Rec3	Rec4			Rec7	Rec8	
						Lab3	Lab4	



Course structure at ITC 2019

Relations between classes

- already **in distribution constraints**
- NotOverlap among classes of one subpart
- SameAttendees between parent-child classes

Each student must be

- in one configuration
- in one class of each subpart of the selected configuration
- in one parent class for each parent-child relationship

Course	Introduction to Mech. Eng. ME 263								
Configuration	Base study study				Practice study				
Subpart	Lecture				Lecture				
Parent	Recitation				Recitation				
Child	Laboratory				Laboratory				
Class	Lec1				Lec3				
Parent		Rec1	Rec2			Rec5	Rec6		
Child						Lab1	Lab2		
Class	Lec2				Lec4				
Parent		Rec3	Rec4			Rec7	Rec8		
Child						Lab3	Lab4		

Timetabling process

- **Centralized timetabling**
 - one schedule manager works on the problem
 - Faculty of Informatics, Faculty of Sport Studies, Masaryk University
cca 2,000 students
- **Centralized timetabling with decentralized input**
 - data entry by several departmental schedule managers
 - one timetable generated
 - Faculty of Education, Faculty of Arts, Masaryk University,
+5,000 students
- **Decentralized timetabling**
 - solving timetabling problems on top of existing timetables
 - example: large lecture rooms first, other problems next
ITC 2019: computer science on top of fixed large lecture room classes
 - Purdue University, 40,000 students



ITC 2019: characteristics of data instances

- **Problem size**
 - one faculty: 500 classes, 2,000 students, and 50 rooms
 - large part of university: 2,500 classes, 32,000 students, or 200 rooms
- **Room utilization** possibly high in some rooms, e.g. large rooms
- **Student course demands**
 - pre-enrollments or last year's enrollments: lots of conflicts
 - curricula: base or diverse
 - no demands but constraints SameAttendees or NotOverlap
- **Course structure:** simple or complex
- **Times**
 - classes once a week or several times
 - use of the weeks: all, first/second semester half, even/odd weeks
 - lifelong study: irregular timetable each week (Fridays, Saturdays)
- **Travel times:** one building vs. campus
- **Distribution constraints:** different sets and amounts

Changes to real-life problems

- removed some less important aspects, computational complexity kept



ITC 2019 distribution constraints: 19 types

Constraint	Opposite	Pairs
SameStart		✓
SameTime	DifferentTime	✓
SameDays	DifferentDays	✓
SameWeeks	DifferentWeeks	✓
SameRoom	DifferentRoom	✓
Overlap	NotOverlap	✓
SameAttendees		✓
Precedence		✓
WorkDay(S)		✓
MinGap(G)		✓
MaxDays(D)		days over D
MaxDayLoad(S)		timeslots over S
MaxBreaks(R,S)		breaks over R
MaxBlock(M,S)		blocks over M



ITC 2019 distribution constraints: base ideas

- **WorkDay(S)**
 - classes not more than S timeslots between start and end a day
- **MinGap(G)**
 - classes at least G timeslots apart
- **MaxDays(D)**
 - classes cannot spread more than D days a week
- **MaxDayLoad(S)**
 - not more than S timeslots for classes a day
- **MaxBreaks(R, S)**
 - maximally R breaks a day (break has more than S timeslots)
- **MaxBlocks(M, S)**
 - maximal block length in M timeslots
(break between two blocks has more than S timeslots)



ITC 2019: International Timetabling Competition

<https://www.itc2019.org>

Rich real-world data set with diverse characteristics

- collected in UniTime from all continents (except Antarctica)

Support from PATAT and EURO WG on Automated Timetabling

- three free PATAT 2020 registrations
- 1000/500/250 EUR for the 1st, 2nd and 3rd place
- two times during the competition: 300/200/100 EUR to the three best competitors at this point (to publish quality of best solutions)
- special track at PATAT 2020

Sponsors



PATAT 2018





- **Three groups of data instances** released subsequently
 - early, middle, late
 - a feasible solution exists for each instance
 - XML format published at PATAT 2018
- **Web service validator**
 - based on UniTime solver
 - computing penalty of the solution = weighted function
 - student conflicts, time & room & distribution penalty
 - valid solutions (only feasible!) can be submitted to the website
- **Consequence**
 - no time limit
 - any number of cores or machines
 - commercial solvers allowed
- **Website maintained after the competition**



Rules and ordering

- Competition **rules** published at the website
- Ordering based on points in **the F1 championship**
 - instances released later with a much higher number of points

Position	Instance		
	Early	Middle	Late
1st	10	15	25
2nd	7	11	18
3rd	5	8	15
4th	3	6	12
5th	2	4	10
6th	1	3	8
7th		2	6
8th		1	4
9th			2
10th			1



ITC 2019 timeline

- 1 August, 2018: announce at PATAT 2018 with sample data sets
 - 6 test instances including large Purdue sets
- 2 November 15, 2018: publish the first group of data – early
- 3 February 1, 2019: first deadline for results of early instances
- 4 June 1, 2019: second deadline for results of early instances
- 5 September 18, 2019: publish the second group of data – middle
- 6 November 8, 2019: publish the third group of data – late
- 7 November 18, 2019: end of competition
- 8 January 15, 2020: finalists published
- 9 February-March, 2020: submissions to PATAT 2020 Special Track
- 10 August, 2020: publications and winners at PATAT 2020
- 11 Fall, 2020: submissions to PATAT 2020 journal special issue

<https://www.itc2019.org>